





## 12'x8'x6' (ID) SureSpec VAULT













sales@bartowprecast.com WWW.BARTOWPRECAST.COM 770.382.4462

## SS120-61208 L1309-4848 R

12'x8'x6' (ID) UTILITY VAULT PRODUCT INFORMATION

VAULT = 18,900 # LID = 7,700 #

SPECIFICATIONS MEETS ASTM C858 & C857

**RATING: NON-TRAFFIC** 

CONCRETE TO BE 4,000 PSI @ 28 DAYS

REINFORCING BAR MEETS ASTM A 615

10" STEPS ON 12" CENTERS

BUTYL SEALANT MEETING ASTM C 990 TO BE USED ON JOINTS

ACCESS HATCH SHALL BE FABRICATED WITH 1/4"
ALUMINUM DIAMOND PLATE DESIGNED TO SUPPORT 300 psf 48"x48" FRAME OPENING EQUIPPED WITH: SLAM LOCK, RECESSED LOCK BOX, FLUSH MOUNT LIFT HANDLE, HOLD-OPEN ARM, SS HARDWARE AND HINGES

PENETRATIONS SIZE AND LOCATION VARY PER JOB

CALL FOR ADDITIONAL SPECS



## DRAWING INFORMATION

Date:	Revision:	Checked By:	Drawn By:
12/26/12	_	CBC	JJU

APPROVED BY:

1		

print

sign: \*actual dimensions may vary slightly